

Subject Index of Volume 154

- Ab initio**
Electronic properties of small model compounds that undergo excited-state intramolecular proton transfer as measured by electroabsorption spectroscopy, 69
- Acetylation**
Structure elucidation of the photoproducts obtained by the photolysis of *N*-acetyl-2-styrylpyrroles, 123
- Acid orange-7**
Influence of metallic species on TiO₂ for the photocatalytic degradation of dyes and dye intermediates, 189
- Ag/AgCl electrode**
Photoelectrochemical reduction of nitrite ions to ammonia on CdS photocatalysts, 299
- Ag/AgCl potentiometric detector electrode**
Probing the extent of [O₂] depletion and [Cl⁻] production simultaneously at an illuminated TiO₂ surface employing simple electrochemical methods, 229
- Alkyl aryl ketones**
Photochemistry of alkyl aryl ketones on alumina, silica-gel and water ice surfaces, 155
- Alumina**
Photochemistry of alkyl aryl ketones on alumina, silica-gel and water ice surfaces, 155
- Amitriptyline**
Photophysical and photochemical properties of amitriptyline and nortriptyline hydrochloride: a 266 nm nanosecond laser flash and theoretical study, 245
- Aniline**
Excited-state proton transfer to solvent of protonated aniline derivatives in aqueous solution: a remarkable effect of *ortho* alkyl group on the proton-dissociation rate, 53
- Anthracene**
Characterization of interpenetrating polymer-like network based on polyethylene/poly(styrene-co-butylmethacrylate) (PE/P(S-co-BMA)) by non-radiative energy transfer, 279
- Azo dye**
The novel use of NMR spectroscopy with in situ laser irradiation to study azo photoisomerisation, 179
- Betaines**
Steric substituent effects of new photochromic tetrahydroindolizines leading to tunable photophysical behavior of the colored betaines, 131
- Binary solvents**
Excited state intramolecular proton transfer in 2-(2'-hydroxyphenyl)-1H-imidazo[4,5-c]pyridine: effects of solvents, 81
- Carbazole**
A novel family of twisted molecular luminescent materials containing carbazole unit for single-layer organic electroluminescent devices, 169
- Carbon acid**
Excited state proton transfer to and from carbon: studies of enhanced excited state basicity of biphenyl derivatives and carbon acidity of dibenzosuberenes, 93
- Carbon base**
Excited state proton transfer to and from carbon: studies of enhanced excited state basicity of biphenyl derivatives and carbon acidity of dibenzosuberenes, 93
- CdS photocatalysts**
Photoelectrochemical reduction of nitrite ions to ammonia on CdS photocatalysts, 299
- CHARM calculations**
Steric substituent effects of new photochromic tetrahydroindolizines leading to tunable photophysical behavior of the colored betaines, 131
- Chemical oxygen demand**
Photocatalytic destruction of potassium hydrogen phthalate using TiO₂ and sunlight: application for the treatment of industrial wastewater, 219
- Chemiluminescence**
Chemiluminescence as the energy transfer effect in the system Eu(III)-thenoyltrifluoroacetone-H₂O₂-NaOH, 273
- Chloronitrobenzenes**
Spectrophotometric study of photosensitized dechlorination of isomeric mono- and dichloronitrobenzenes, 303
- Chlorophenol**
Probing the extent of [O₂] depletion and [Cl⁻] production simultaneously at an illuminated TiO₂ surface employing simple electrochemical methods, 229
- 4-Chlorophenol**
Aqueous photochemistry of pesticides triadimefon and triadimenol, 293
- Chlorophenolate**
Aqueous photochemistry of pesticides triadimefon and triadimenol, 293
- 4-Chlorophenoxy radicals**
Aqueous photochemistry of pesticides triadimefon and triadimenol, 293
- Cis-trans isomerisation**
The novel use of NMR spectroscopy with in situ laser irradiation to study azo photoisomerisation, 179
- Copper**
Influence of metallic species on TiO₂ for the photocatalytic degradation of dyes and dye intermediates, 189
- Coronene**
Triplet state energy and electron transfer in coronene-doped polymethylmethacrylate, 267
- Degradation**
Photodegradation of lignin from black liquor using a UV/TiO₂ system, 211
- Deuterium exchange**
Excited state proton transfer to and from carbon: studies of enhanced excited state basicity of biphenyl derivatives and carbon acidity of dibenzosuberenes, 93
- Dipyrido[2,3-*a*:3',2'-*i*]carbazole**
In search for phototautomerization in solid dipyrido[2,3-*a*:3',2'-*i*]carbazole, 61
- Electroabsorption**
Electronic properties of small model compounds that undergo excited-state intramolecular proton transfer as measured by electroabsorption spectroscopy, 69

Electrochemical detection

- Probing the extent of $[O_2]$ depletion and $[Cl^-]$ production simultaneously at an illuminated TiO_2 surface employing simple electrochemical methods, 229

Electron transfer

- Structure elucidation of the photoproducts obtained by the photolysis of *N*-acetyl-2-styrylpyrroles, 123
- Triplet state energy and electron transfer in coronene-doped polymethylmethacrylate, 267

Electronic spectra

- Photooxidation of bis(diethyldithiocarbamato)dicarbonyliron(II) in chloroform, 289

Electronic spectrum

- Excited-state intramolecular proton transfer in photochromic jet-cooled *N*-salicylideneaniline, 33

Electronic structure

- Intermolecular photochemical proton transfer in solution: new insights and perspectives, 3

Electronic structure calculations

- Electronic properties of small model compounds that undergo excited-state intramolecular proton transfer as measured by electroabsorption spectroscopy, 69

Energy transfer

- Triplet state energy and electron transfer in coronene-doped polymethylmethacrylate, 267
- Chemiluminescence as the energy transfer effect in the system $Eu(III)$ -thenoyltrifluoroacetone- H_2O_2 -NaOH, 273

Europium ions

- Chemiluminescence as the energy transfer effect in the system $Eu(III)$ -thenoyltrifluoroacetone- H_2O_2 -NaOH, 273

Excitation energies

- Theoretical study of phototoxic reactions of psoralens, 235

Excited state intramolecular proton transfer

- Excited state intramolecular proton transfer in 2-(2'-hydroxyphenyl)-1H-imidazo[4,5-c]pyridine: effects of solvents, 81

Excited-state intramolecular proton transfer (ESIPT)

- Intersecting-state model calculations on fast and ultrafast excited-state proton transfers in naphthols and substituted naphthols, 13

- Nodal-plane model for excited-state intramolecular proton transfer of *o*-hydroxybenzaldehyde: substituent effect, 23

- Electronic properties of small model compounds that undergo excited-state intramolecular proton transfer as measured by electroabsorption spectroscopy, 69

- Excited state proton transfer to and from carbon: studies of enhanced excited state basicity of biphenyl derivatives and carbon acidity of dibenzosuberenes, 93

Fluorescence

- Excited-state proton transfer to solvent of protonated aniline derivatives in aqueous solution: a remarkable effect of *ortho* alkyl group on the proton-dissociation rate, 53

- Excited state intramolecular proton transfer in 2-(2'-hydroxyphenyl)-1H-imidazo[4,5-c]pyridine: effects of solvents, 81

Fluorescence and absorption spectra

- A comparison of the excited-state processes of nearly symmetrical perylene quinones: hypocrellin A and hypomycin B, 107

Fluorescence probes

- Characterization of interpenetrating polymer-like network based on polyethylene/poly(styrene-co-butylmethacrylate) (PE/P(S-co-BMA)) by non-radiative energy transfer, 279

Fluorescence quantum yield

- Nodal-plane model for excited-state intramolecular proton transfer of *o*-hydroxybenzaldehyde: substituent effect, 23

Furocoumarins

- Theoretical study of phototoxic reactions of psoralens, 235

GC-MS

- Photodegradation of lignin from black liquor using a UV/ TiO_2 system, 211

Heterogeneous photocatalysis

- Photocatalytic oxidation of oxalic acid enhanced by silver deposition on a TiO_2 surface, 195

Hydrogen-bonded complexes

- Electronic and vibrational spectroscopy of jet-cooled complexes of *o*-cyanophenol, 41

Hydrophobic effect

- Excited-state proton transfer to solvent of protonated aniline derivatives in aqueous solution: a remarkable effect of *ortho* alkyl group on the proton-dissociation rate, 53

Hydroxyarene

- Intermolecular photochemical proton transfer in solution: new insights and perspectives, 3

o-Hydroxybenzaldehyde

- Nodal-plane model for excited-state intramolecular proton transfer of *o*-hydroxybenzaldehyde: substituent effect, 23

Hypocrellin

- A comparison of the excited-state processes of nearly symmetrical perylene quinones: hypocrellin A and hypomycin B, 107

Hypomycin

- A comparison of the excited-state processes of nearly symmetrical perylene quinones: hypocrellin A and hypomycin B, 107

INDO/SCI

- Electronic properties of small model compounds that undergo excited-state intramolecular proton transfer as measured by electroabsorption spectroscopy, 69

Intermolecular proton transfer mechanism

- Synthesis, structure and photochromic properties of 4-acyl pyrazolone derivatives, 117

Internal conversion

- Excited-state intramolecular proton transfer in photochromic jet-cooled *N*-salicylideneaniline, 33

Interpenetrating polymer-like network

- Characterization of interpenetrating polymer-like network based on polyethylene/poly(styrene-co-butylmethacrylate) (PE/P(S-co-BMA)) by non-radiative energy transfer, 279

Intersecting-state model

- Intersecting-state model calculations on fast and ultrafast excited-state proton transfers in naphthols and substituted naphthols, 13

Ionisation potentials

- Photoconductive molecular glasses consisting of twin molecules, 161

IR emission

- Infrared multiphoton dissociation of propynal: time resolved observation of CO ($v \geq 1$) IR emission at 4.7 μm , 259

Iron complexes

- Photooxidation of bis(diethyldithiocarbamato)dicarbonyliron(II) in chloroform, 289

Iron-sulfur compounds

- Photooxidation of bis(diethyldithiocarbamato)dicarbonyliron(II) in chloroform, 289

Kinetic isotope effects

- Intersecting-state model calculations on fast and ultrafast excited-state proton transfers in naphthols and substituted naphthols, 13

Laser flash photolysis

- Photophysical and photochemical properties of amitriptyline and nortriptyline hydrochloride: a 266 nm nanosecond laser flash and theoretical study, 245

- Aqueous photochemistry of pesticides triadimefon and triadimenol, 293

Laser irradiation

- The novel use of NMR spectroscopy with in situ laser irradiation to study azo photoisomerisation, 179

Lignin

- Photodegradation of lignin from black liquor using a UV/ TiO_2 system, 211

Low-molar-mass glasses

Photoconductive molecular glasses consisting of twin molecules, 161

Luminescence

A novel family of twisted molecular luminescent materials containing carbazole unit for single-layer organic electroluminescent devices, 169

Micelles

A comparison of the excited-state processes of nearly symmetrical perylene quinones: hypocrellin A and hypomycin B, 107

Microwave

Photochemistry of alkyl aryl ketones on alumina, silica-gel and water ice surfaces, 155

Molecular oxygen

Theoretical study of phototoxic reactions of psoralens, 235

Multiphoton dissociation

Infrared multiphoton dissociation of propynal: time resolved observation of CO ($v \geq 1$) IR emission at 4.7 μm , 259

Naphthalimide

A novel family of twisted molecular luminescent materials containing carbazole unit for single-layer organic electroluminescent devices, 169

Naphthol

Intersecting-state model calculations on fast and ultrafast excited-state proton transfers in naphthols and substituted naphthols, 13

2-Naphthol

Spectrophotometric study of photosensitized dechlorination of isomeric mono- and dichloronitrobenzenes, 303

3-NBSA

Influence of metallic species on TiO_2 for the photocatalytic degradation of dyes and dye intermediates, 189

NMR spectroscopy

The novel use of NMR spectroscopy with in situ laser irradiation to study azo photoisomerisation, 179

Nodal-plane model

Nodal-plane model for excited-state intramolecular proton transfer of *o*-hydroxybenzaldehyde: substituent effect, 23

Non-radiative energy transfer

Characterization of interpenetrating polymer-like network based on polyethylene/poly(styrene-co-butylmethacrylate) (PE/P(S-co-BMA)) by non-radiative energy transfer, 279

Nortriptyline

Photophysical and photochemical properties of amitriptyline and nortriptyline hydrochloride: a 266 nm nanosecond laser flash and theoretical study, 245

Oxalic acid

Photocatalytic oxidation of oxalic acid enhanced by silver deposition on a TiO_2 surface, 195

Oxidation

Photocatalytic oxidation of oxalic acid enhanced by silver deposition on a TiO_2 surface, 195

Oxidation potentials

Structure elucidation of the photoproducts obtained by the photolysis of *N*-acetyl-2-styrylpyrroles, 123

Oxygen sensor

Probing the extent of $[\text{O}_2]$ depletion and $[\text{Cl}^-]$ production simultaneously at an illuminated TiO_2 surface employing simple electrochemical methods, 229

Phenanthrene

Characterization of interpenetrating polymer-like network based on polyethylene/poly(styrene-co-butylmethacrylate) (PE/P(S-co-BMA)) by non-radiative energy transfer, 279

Photocatalysis

Influence of metallic species on TiO_2 for the photocatalytic degradation of dyes and dye intermediates, 189

Decomposition of gas-phase octamethyltrisiloxane on TiO_2 thin film photocatalysts—catalytic activity, deactivation, and regeneration, 203

Photocatalyst deactivation

Decomposition of gas-phase octamethyltrisiloxane on TiO_2 thin film photocatalysts—catalytic activity, deactivation, and regeneration, 203

Photocatalyst regeneration

Decomposition of gas-phase octamethyltrisiloxane on TiO_2 thin film photocatalysts—catalytic activity, deactivation, and regeneration, 203

Photocatalytic detoxification

Photocatalytic destruction of potassium hydrogen phthalate using TiO_2 and sunlight: application for the treatment of industrial wastewater, 219

Photochemical proton transfer

Intermolecular photochemical proton transfer in solution: new insights and perspectives, 3

Photochemistry

Structure elucidation of the photoproducts obtained by the photolysis of *N*-acetyl-2-styrylpyrroles, 123

Photochemistry of alkyl aryl ketones on alumina, silica-gel and water ice surfaces, 155

Photochemistry and quantum theoretical calculations

Photophysical and photochemical properties of amitriptyline and nortriptyline hydrochloride: a 266 nm nanosecond laser flash and theoretical study, 245

Photochromism

Excited-state intramolecular proton transfer in photochromic jet-cooled *N*-salicylideneaniline, 33

Synthesis, structure and photochromic properties of 4-acyl pyrazolone derivants, 117

Steric substituent effects of new photochromic tetrahydroindolizines leading to tunable photophysical behavior of the colored betaines, 131

Photoconductivity

Photoconductive molecular glasses consisting of twin molecules, 161

Photoelectrochemical reduction

Photoelectrochemical reduction of nitrite ions to ammonia on CdS photocatalysts, 299

Photoisomerisation

The novel use of NMR spectroscopy with in situ laser irradiation to study azo photoisomerisation, 179

Photolysis

Structure elucidation of the photoproducts obtained by the photolysis of *N*-acetyl-2-styrylpyrroles, 123

Photomineralisation

Probing the extent of $[\text{O}_2]$ depletion and $[\text{Cl}^-]$ production simultaneously at an illuminated TiO_2 surface employing simple electrochemical methods, 229

Photooxidation

Decomposition of gas-phase octamethyltrisiloxane on TiO_2 thin film photocatalysts—catalytic activity, deactivation, and regeneration, 203

Photooxidation of bis(diethyldithiocarbamate)dicarbonyliron(II) in chloroform, 289

Photoprotonation

Excited state proton transfer to and from carbon: studies of enhanced excited state basicity of biphenyl derivatives and carbon acidity of dibenzosuberenes, 93

Photosensitized dechlorination

Spectrophotometric study of photosensitized dechlorination of isomeric mono- and dichloronitrobenzenes, 303

Phototautomer

Excited state intramolecular proton transfer in 2-(2'-hydroxyphenyl)-1H-imidazo[4,5-*c*]pyridine: effects of solvents, 81

Phototautomerization

In search for phototautomerization in solid dipyrrodo[2,3-*a*:3',2'-*i*]carbazole, 61

Phototoxicity

Theoretical study of phototoxic reactions of psoralens, 235

Phototransposition

Structure elucidation of the photoproducts obtained by the photolysis of *N*-acetyl-2-styrylpyrroles, 123

Polymethylmethacrylate

Triplet state energy and electron transfer in coronene-doped polymethylmethacrylate, 267

Poor man's model

Photocatalytic destruction of potassium hydrogen phthalate using TiO₂ and sunlight: application for the treatment of industrial wastewater, 219

Propynal

Infrared multiphoton dissociation of propynal: time resolved observation of CO ($v \geq 1$) IR emission at 4.7 μm , 259

Proton transfer

Excited-state intramolecular proton transfer in photochromic jet-cooled *N*-salicylideneaniline, 33

Electronic and vibrational spectroscopy of jet-cooled complexes of *o*-cyanophenol, 41

Excited-state proton transfer to solvent of protonated aniline derivatives in aqueous solution: a remarkable effect of *ortho* alkyl group on the proton-dissociation rate, 53

Proton-transfer rates

Intersecting-state model calculations on fast and ultrafast excited-state proton transfers in naphthols and substituted naphthols, 13

Psoralens

Theoretical study of phototoxic reactions of psoralens, 235

Pump-probe absorption spectroscopy

A comparison of the excited-state processes of nearly symmetrical perylene quinones: hypocrellin A and hypomycin B, 107

Pyrazolone

Synthesis, structure and photochromic properties of 4-acyl pyrazolone derivants, 117

1-(*n*-Pyridyl)-2-(pentamethyldisilanyl)ethynes

Solvent effects on the photochemical behavior of 1-(*n*-pyridyl)-2-(pentamethyldisilanyl)ethynes ($n = 2, 3$, or 4), aza analogs of 1-phenyl-2-(pentamethyldisilanyl)ethyne, 145

Pyrroles

Structure elucidation of the photoproducts obtained by the photolysis of *N*-acetyl-2-styrylpyrroles, 123

Quenching

Excited-state proton transfer to solvent of protonated aniline derivatives in aqueous solution: a remarkable effect of *ortho* alkyl group on the proton-dissociation rate, 53

Rate of reaction

Spectrophotometric study of photosensitized dechlorination of isomeric mono- and dichloronitrobenzenes, 303

N-Salicylideneaniline

Excited-state intramolecular proton transfer in photochromic jet-cooled *N*-salicylideneaniline, 33

1-Sila-1,2-propadiene

Solvent effects on the photochemical behavior of 1-(*n*-pyridyl)-2-(pentamethyldisilanyl)ethynes ($n = 2, 3$, or 4), aza analogs of 1-phenyl-2-(pentamethyldisilanyl)ethyne, 145

Silacyclopentene

Solvent effects on the photochemical behavior of 1-(*n*-pyridyl)-2-(pentamethyldisilanyl)ethynes ($n = 2, 3$, or 4), aza analogs of 1-phenyl-2-(pentamethyldisilanyl)ethyne, 145

Silica-gel

Photochemistry of alkyl aryl ketones on alumina, silica-gel and water ice surfaces, 155

Siloxane

Decomposition of gas-phase octamethyltrisiloxane on TiO₂ thin film photocatalysts—catalytic activity, deactivation, and regeneration, 203

Silver

Influence of metallic species on TiO₂ for the photocatalytic degradation of dyes and dye intermediates, 189

Silver deposition

Photocatalytic oxidation of oxalic acid enhanced by silver deposition on a TiO₂ surface, 195

Single-layer OLED

A novel family of twisted molecular luminescent materials containing carbazole unit for single-layer organic electroluminescent devices, 169

Spectrophotometric

Spectrophotometric study of photosensitized dechlorination of isomeric mono- and dichloronitrobenzenes, 303

Spectroscopy in supersonic jet

Electronic and vibrational spectroscopy of jet-cooled complexes of *o*-cyanophenol, 41

Stark

Electronic properties of small model compounds that undergo excited-state intramolecular proton transfer as measured by electroabsorption spectroscopy, 69

Steric hindrance

Steric substituent effects of new photochromic tetrahydroindolizines leading to tunable photophysical behavior of the colored betaines, 131

Substituent effect

Nodal-plane model for excited-state intramolecular proton transfer of *o*-hydroxybenzaldehyde: substituent effect, 23

Excited-state proton transfer to solvent of protonated aniline derivatives in aqueous solution: a remarkable effect of *ortho* alkyl group on the proton-dissociation rate, 53

Supersonic jet

Excited-state intramolecular proton transfer in photochromic jet-cooled *N*-salicylideneaniline, 33

Surface

Photochemistry of alkyl aryl ketones on alumina, silica-gel and water ice surfaces, 155

Synthesis

Synthesis, structure and photochromic properties of 4-acyl pyrazolone derivants, 117

Tartrazine

Influence of metallic species on TiO₂ for the photocatalytic degradation of dyes and dye intermediates, 189

TD-DFT

Theoretical study of phototoxic reactions of psoralens, 235

Tetrahydroindolizines

Steric substituent effects of new photochromic tetrahydroindolizines leading to tunable photophysical behavior of the colored betaines, 131

Thenoyltrifluoroacetone

Chemiluminescence as the energy transfer effect in the system Eu(III)–thenoyltrifluoroacetone–H₂O₂–NaOH, 273

Time correlated single photon counting

A comparison of the excited-state processes of nearly symmetrical perylene quinones: hypocrellin A and hypomycin B, 107

TiO₂

Photocatalytic oxidation of oxalic acid enhanced by silver deposition on a TiO₂ surface, 195

Photodegradation of lignin from black liquor using a UV/TiO₂ system, 211

TiO₂ thin film

Probing the extent of [O₂] depletion and [Cl[−]] production simultaneously at an illuminated TiO₂ surface employing simple electrochemical methods, 229

Titanium dioxide

Photocatalytic destruction of potassium hydrogen phthalate using TiO₂ and sunlight: application for the treatment of industrial wastewater, 219

- Triadimefon
Aqueous photochemistry of pesticides triadimefon and triadimenol, 293
- Triadimenol
Aqueous photochemistry of pesticides triadimefon and triadimenol, 293
- 1,2,4-Triazole
Aqueous photochemistry of pesticides triadimefon and triadimenol, 293
- Tricyclic antidepressive
Photophysical and photochemical properties of amitriptyline and nortriptyline hydrochloride: a 266 nm nanosecond laser flash and theoretical study, 245
- Triplet state
Triplet state energy and electron transfer in coronene-doped polymethylmethacrylate, 267
- Valerophenone
Photochemistry of alkyl aryl ketones on alumina, silica-gel and water ice surfaces, 155
- Vanadate
Influence of metallic species on TiO_2 for the photocatalytic degradation of dyes and dye intermediates, 189
- Wastewater
Photocatalytic destruction of potassium hydrogen phthalate using TiO_2 and sunlight: application for the treatment of industrial wastewater, 219
- X-ray analysis
In search for phototautomerization in solid dipyrrodo[2,3-*a*:3',2'-*i*]carbazole, 61

Digitized by the Internet Archive
in 2023 with funding from
Kahle/Austin Foundation



ELSEVIER

Journal of Photochemistry and Photobiology A: Chemistry 154 (2003) 319–324

Journal of
Photochemistry
and
Photobiology
A: Chemistry

www.elsevier.com/locate/jphotochem

Guide for Authors

1. General

Please consult this Guide for Authors for further details on the requirements for submitting your paper to the *Journal of Photochemistry and Photobiology A: Chemistry*. The guidelines described in this document should be adhered to carefully, to ensure high-quality and rapid publication of your manuscript. All information for authors can be found online at the Journal's Author Gateway, <http://authors.elsevier.com/journal/jphotochem>

The *Journal of Photochemistry and Photobiology A: Chemistry* (JPPA) welcomes the following types of papers: Original Papers not previously published – Preliminary Notes – Short Reviews.

Papers and Short Reviews may be concerned with either quantitative or qualitative aspects of photochemistry. Organic, inorganic and coordination systems are all treated. The scope includes the physical chemistry of excited atoms or molecules, studies of electronic-energy transfer, quantum-yield determinations and kinetic measurements made under stationary or non-stationary conditions, measurements of rate constants for primary or secondary photochemical processes, studies of absorption or emission spectroscopy applied to photochemistry, mechanistic investigations of photochemical reactions based on product analysis or energy-transfer studies, identification of the products of photochemical reactions, and studies related to the photochemical conversion and storage of solar energy and to atmospheric photochemistry. Papers relating to applied photochemistry are also published. This field includes studies of photoinitiation of polymerization, photo-cross-linking, photodegradation or photostabilization of polymers, photohalogenation, chemical aspects of photography and the design of photoreactors.

Preliminary Notes will describe work that is not yet completed, but that needs, for some reason, to be published in its preliminary form. Manuscripts submitted for consideration in this category must be accompanied by a reasoned justification of the need for urgent publication. This justification will be used by the Editors in deciding whether preliminary publication should be permitted, or whether the authors should be asked to submit a full paper when their research is completed.

Short Review articles are occasionally published, and suggestions of suitable topics are welcomed. Prospective authors should, however, discuss with one of the Editors the content and length of a proposed review before embarking on its preparation. Extensive Reviews should be considered for publication in the *Journal of Photochemistry and Photobiology C: Photochemistry Reviews*.

Submission of an article implies that the work described has not been published previously (except in the form of an abstract or as part of a published lecture or academic thesis), that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out, and that, if accepted, it will not be published elsewhere in the same form, in English or in any other language, without the written consent of the Publisher.

Upon acceptance of an article, authors will be asked to transfer copyright. This transfer will ensure the widest possible dissemination of information. A letter will be sent to the corresponding author confirming receipt of the manuscript. A form facilitating transfer of copyright will be provided. If excerpts from other copyrighted works are included, the author(s) must obtain written permission from the copyright owners and credit the source(s) in the article. Elsevier Science has pre-printed forms for use by authors in these cases: contact ES Global Rights Department, P.O. Box 800, Oxford, OX5 1DX, UK; phone: (+44) 1865 843830, fax: (+44) 1865 853333, e-mail: permissions@elsevier.co.uk

2. Submission

2.1 Online electronic submission to the journal prior to acceptance

Authors can upload their article as a *LaTeX*, *Microsoft[®] (MS) Word[®]*, *WordPerfect[®]*, *PostScript* or *Adobe[®] Acrobat[®] PDF* document via the 'Author Gateway' page of this journal (<http://authors.elsevier.com/journal/jphotochem>), where they will also find a detailed description on its use. The system generates an Adobe Acrobat PDF version of the article, which is used for the reviewing process. Apart from uploading separately, it is crucial that all graphical and

tabular elements also be placed within the text, so that the file is suitable for reviewing. Authors, Reviewers and Editors send and receive all correspondence by e-mail and no paper correspondence is necessary.

Note: compuscripts submitted are converted into PDF for the review process but may need to be edited after acceptance to follow journal standards. For this an 'editable' file format is necessary. See the section on 'Electronic format requirements for accepted articles' and the further general instructions on how to prepare your article below.

2.2 Online electronic submission checklist

Ensure that the following items are present:

- ☐ One author designated as corresponding author;
- ☐ E-mail address;
- ☐ Full postal address;
- ☐ Telephone and fax numbers;
- ☐ All necessary files (check that all uploaded);
- ☐ Keywords;
- ☐ All figure captions;
- ☐ All tables (including title, description, footnotes).

Further considerations:

- ☐ Manuscript has been 'spell checked';
- ☐ References are in the correct format for this journal;
- ☐ All references mentioned in the Reference list are cited in the text, and vice versa;
- ☐ Permission has been obtained for use of copyrighted material from other sources (including the Web).

2.3 Submission to the journal, not online, prior to acceptance

Three copies of the manuscript, including one set of high-quality original illustrations, suitable for direct reproduction, should be submitted. (Copies of the illustrations are acceptable for the other sets of manuscripts, as long as the quality permits refereeing.)

Authors should send an electronic version of their article on disk or by e-mail to one of the addresses given below. This electronic version may be used for the reviewing process. In this case Authors, Reviewers and Editors send and receive all correspondence by e-mail and no paper correspondence is necessary.

Send your manuscript to one of the Editors. All authors **other than** those in the USA, Canada or Asia should submit their material to:

Editor-in-Chief: Professor R.P. Wayne

Physical and Theoretical Chemistry Laboratory
South Parks Road
Oxford OX1 3QZ

UK

FAX: +44 (1865) 275410

E-MAIL: jphoto@physchem.ox.ac.uk

Authors in the USA and Canada may submit their manuscripts to the North American Editor:

Professor R. Schmehl

Department of Chemistry
Tulane University
New Orleans, LA 70118
USA

FAX: +1-504-865-5596

E-MAIL: russ@tulane.edu

Authors in Asia should submit their manuscripts to the Asian Editor:

Professor H. Masuhara

Faculty of Engineering
Department of Applied Physics
Osaka University
Yamadaoka 2-1
Suita, Osaka 565-0871
Japan

FAX: +81 6 6876 8580

E-MAIL: masuhara@ap.eng.osaka-u.ac.jp

Note: electronic articles submitted may need to be edited after acceptance to follow journal standards. For this an 'editable' file format is necessary. See the section on 'Electronic format requirements for accepted articles' and the further general instructions on how to prepare your article below.

Please submit, with the manuscript, the names and addresses of **3 or 4** potential referees.

2.4 Submission checklist, for non-online submission

It is hoped that this list will be useful during the final checking of an article prior to sending it to the journal's editor for review. Please consult this Guide for Authors for further details of any item.

Ensure that the following items are present:

- ☐ One author designated as corresponding author;
- ☐ E-mail address;
- ☐ Full postal address;
- ☐ Telephone and fax numbers;
- ☐ Disk is enclosed;
- ☐ The electronic version and the hardcopy of the manuscript are identical;
- ☐ Disk has been labelled with;
 - ☐ Article details (first author, first words of title);
 - ☐ File name(s);

- ☐ Media format (e.g., PC, Mac);
- ☐ File format (e.g., Word, LaTeX);
- ☐ All text pages;
- ☐ Keywords;
- ☐ Original artwork (high-quality prints);
- ☐ All figure captions; All tables (including title, description, footnotes).

Further considerations

- ☐ Manuscript has been 'spell checked'
- ☐ References are in the correct format for this journal
- ☐ All references mentioned in the Reference list are cited in the text, and vice versa
- ☐ Permission has been obtained for use of copyrighted material from other sources (including the Web)
- ☐ Colour figures are clearly marked as being intended for colour reproduction or to be reproduced in black-and-white

For any further information please contact the Author Support Department at authorsupport@elsevier.com

3. Electronic format requirements for accepted articles

3.1 General points

We accept most word-processing formats, but Word, WordPerfect or LaTeX are preferred. An electronic version of the text should be submitted together with the final hardcopy of the manuscript. The electronic version must match the hardcopy exactly. Always keep a backup copy of the electronic file for reference and safety. Label storage media with your name, journal title, and software used. Save your files using the default extension of the program used. No changes to the accepted version are permissible without the explicit approval of the Editor. Electronic files can be stored on 3½-inch diskette, ZIP-disk or CD (either MS-DOS or Macintosh).

3.2 Word processor documents

It is important that the file be saved in the native format of the word processor used. The text should be in single-column format. Keep the layout of the text as simple as possible. Most formatting codes will be removed and replaced on processing the article. In particular, do not use the word processor's options to justify text or to hyphenate words. However, do use bold face, italics, subscripts, superscripts etc. Do not embed 'graphically designed' equations or tables, but prepare these using the word processor's facility. When preparing tables, if you are using a table grid, use only one grid for each individual table and not a grid for each row. If no grid is used, use tabs, not spaces, to align columns. The electronic text should be prepared in a way very similar to that of conventional manuscripts (see also the Author Gateway's Quick guide: <http://authors.elsevier.com>). Do not import the figures into the text file but, instead,

indicate their approximate locations directly in the electronic text and on the manuscript. See also the section on Preparation of electronic illustrations.

To avoid unnecessary errors you are strongly advised to use the 'spell checker' function of your word processor.

3.3 LaTeX documents

If the LaTeX file is suitable, proofs will be produced without re-keying the text. The article should preferably be written using Elsevier Science's document class 'elsart', or alternatively the standard document class 'article'.

The Elsevier LaTeX package (including detailed instructions for LaTeX preparation) can be obtained from the Author Gateway's Quick guide: <http://authors.elsevier.com>. It consists of the files: elsart.cls (use this file if you are using LaTeX2e, the current version of LaTeX), elsart.sty and elsart12.sty (use these two files if you are using LaTeX2.09, the previous version of LaTeX), guidelines for users of elsart, a template file for quick start, and the instruction booklet 'Preparing articles with LaTeX'.

Although Elsevier can process most word processor file formats, should your electronic file prove to be unusable, the article will be typeset from the hardcopy printout.

4. Presentation of manuscript

4.1 Presentation of text

Please write your text in good English (American or British usage is accepted, but not a mixture of them). Authors for whom English is a foreign language are strongly recommended to have the manuscript thoroughly checked and corrected before submission. Authors in Japan kindly note that, upon request, Elsevier Science Japan will provide a list of people who can check and improve the English of an article before submission. Contact our Tokyo office: Elsevier Science K.K., Editorial Service, 1-9-15 Higashi Azabu, Minato-ku, Tokyo 106-0044, Japan; tel.: +81-3-5561-5032; fax: +81-3-5561-5045; e-mail: info@elsevier.co.jp

Italics are not to be used for expressions of Latin origin, for example, *in vivo*, *et al.*, *per se*. Use decimal points (not commas); use a space for thousands (10 000 and above).

Print the entire manuscript on one side of the paper only, using double spacing and wide (3 cm) margins. (Avoid full justification, i.e., do not use a constant right-hand margin.) Ensure that each new paragraph is clearly indicated. Present tables and figure legends on separate pages at the end of the manuscript. If possible, consult a recent issue of the journal to become familiar with layout and conventions. Number all pages consecutively.

Provide the following data on the title page (in the order given):

- **Title.** Concise and informative. Titles are often used in information-retrieval systems. Avoid abbreviations and formulae where possible
- **Author names and affiliations.** Where the family name may be ambiguous (e.g., a double name), please indicate this clearly. Present the authors' affiliation addresses (where the actual work was done) below the names. Indicate all affiliations with a lower-case superscript letter immediately after the author's name and in front of the appropriate address. Provide the full postal address of each affiliation, including the country name, and, if available, the e-mail address of each author.
- **Corresponding author.** Clearly indicate who is willing to handle correspondence at all stages of refereeing and publication, and also post-publication. **Ensure that telephone and fax numbers (with country and area code) are provided in addition to the e-mail address and the complete postal address.**
- **Present/permanent address.** If an author has moved since the work described in the article was done, or was visiting at the time, a 'Present address' (or 'Permanent address') may be indicated as a footnote to that author's name. The address at which the author actually did the work must be retained as the main, affiliation address. Superscript Arabic numerals are used for such footnotes.
- **Abstract.** A concise and factual abstract is required (maximum length 300 words). The abstract should state briefly the purpose of the research, the principal results and major conclusions. An abstract is often presented separate from the article, so it must be able to stand alone. References should therefore be avoided, but if essential, they must be cited in full, without using the reference list. Non-standard or uncommon abbreviations or acronyms should be avoided, but if essential they must be defined at their first mention in the abstract itself.
- **Keywords.** Immediately after the abstract, provide a maximum of 6 keywords, avoiding general and plural terms and multiple concepts (avoid, for example, 'and', 'of'). Be sparing with abbreviations: only abbreviations firmly established in the field may be eligible. These keywords will be used for indexing purposes

N.B. **Acknowledgements.** Collate acknowledgements in a separate section at the end of the article and do **not**, therefore, include them on the title page, as a footnote to the title or otherwise.

4.1.1 Arrangement of the article

Subdivision of the article

Divide your article into clearly defined and numbered sections. Subsections should be numbered 1.1 (then 1.1.1,

1.1.2, ...), 1.2, etc. (the abstract is not included in section numbering). Use this numbering also for internal cross-referencing: do not just refer to 'the text.' Any subsection may be given a brief heading. Each heading should appear on its own separate line.

Introduction. State the objectives of the work and provide an adequate background, avoiding a detailed literature survey or a summary of the results.

Experimental/Materials and methods. Provide sufficient detail to allow the work to be reproduced. Methods already published should be indicated by a reference: only relevant modifications should be described.

Theory and/or calculation. A Theory section should extend, not repeat, the background to the article already dealt with in the Introduction, and lay the foundation for further work. In contrast, a Calculation section represents a practical development from a theoretical basis. Include in figure legends and table texts technical details of methods used, while describing the methods themselves in the main text.

Appendices. If there is more than one appendix, they should be identified as A, B, etc. Formulae and equations in appendices should be given separate numbering: (Eq. A.1), (Eq. A.2), etc.; in a subsequent appendix, (Eq. B.1); and so forth.

Figure legends, tables, figures, schemes. Present these, in this order, at the end of the article. They are described in more detail below. Further, high-resolution graphics files must be provided separately (see Preparation of illustrations).

Further considerations:

Text graphics. Present incidental graphics not suitable for mention as figures, plates or schemes at the end of the article and number them 'Graphic 1', etc. Their precise position in the text can then be defined similarly (both on the manuscript and in the file). See further under the section, Preparation of illustrations. Further, high-resolution graphics files must be provided separately (see Preparation of illustrations).

Mathematical formulae. Present simple formulae in the line of normal text where possible. In principle, variables are to be presented in italics. Use the solidus (/) instead of a horizontal line,

e.g., X_p/Y_m rather than $\frac{X_p}{Y_m}$

Powers of e are often more conveniently denoted by exp. Number consecutively any equations that have to be displayed separate from the text (if referred to explicitly in the text).

Footnotes. Footnotes should be used sparingly. Number them consecutively throughout the article, using superscript Arabic numbers. Many word processors build footnotes into the text, and this feature may be used. Otherwise, indicate the position of footnotes in the text and present the footnotes themselves on a separate sheet at the end of the article. Do

not include footnotes in the Reference list. Table footnotes: indicate each footnote in a table with a superscript lowercase letter.

Tables. Number tables consecutively in accordance with their appearance in the text. Place footnotes to tables below the table body and indicate them with superscript lowercase letters. Avoid vertical rules. Be sparing in the use of tables and ensure that the data presented in tables do not duplicate results described elsewhere in the article.

Nomenclature and units. Follow internationally accepted rules and conventions: use the international system of units (SI). The only exception is the use of min, h, d and a as units for elapsed time, though never when combined algebraically with other units. If other quantities are mentioned, give their equivalent in SI.

4.1.2 References

Responsibility for the accuracy of bibliographic citations lies entirely with the authors.

Citations in the text: Please ensure that every reference cited in the text is also present in the reference list (and vice versa). Any references cited in the abstract must be given in full. Unpublished results and personal communications should not be in the reference list, but may be mentioned in the text. Citation of a reference as ‘in press’ implies that the item has been accepted for publication.

Citing and listing of web references. As a minimum, the full URL should be given. Any further information, if known (author names, dates, reference to a source publication, etc.), should also be given. Web references can be listed separately (e.g., after the reference list) under a different heading if desired, or can be included in the reference list.

Text: Indicate references by number(s) in square brackets in line with the text. The actual authors can be referred to, but the reference number(s) must always be given.

Example: “..... as demonstrated [3,6]. Barnaby and Jones [8] obtained a different result....”

List: Number the references (numbers in square brackets) in the list in the order in which they appear in the text.

Examples:

Reference to a journal publication:

[1] J. van der Geer, J.A.J. Hanraads, R.A. Lupton, J. Sci. Commun. 163 (2000) 51–59.

Reference to a book:

[2] W. Strunk Jr., E.B. White, *The Elements of Style*, third ed., Macmillan, New York, 1979.

Reference to a chapter in an edited book:

[3] G.R. Mettam, L.B. Adams, in: B.S. Jones, R.Z. Smith (Eds.), *Introduction to the Electronic Age*, E-Publishing, Inc., New York, 1994, pp. 281–304.

4.2 Preparation of illustrations

Illustrations can be prepared in blackwhite, greyscale or colour. Only use colour if it is necessary to convey a scientific message; else it should be avoided. Colour artwork will be published without cost to the authors subject to the discretion of the Editor, and provided the artwork is of sufficient quality.

4.2.1 Preparation of electronic illustrations

Submitting your artwork in an electronic format helps us to produce your work to the best possible standards, ensuring accuracy, clarity and a high level of detail.

General points

- Always supply high-quality printouts of your artwork, in case conversion of the electronic artwork is problematic.
- Make sure you use uniform lettering and sizing of your original artwork.
- Save text in illustrations as ‘graphics’ or enclose the font.
- Only use the following fonts in your illustrations: Arial, Courier, Helvetica, Times, Symbol.
- Number the illustrations according to their sequence in the text.
- Use a logical naming convention for your artwork files, and supply a separate listing of the files and the software used.
- Provide all illustrations as separate files and as hardcopy printouts on separate sheets.
- Provide captions to illustrations separately.
- Produce images near to the desired size of the printed version.

Files can be stored on 3½-inch diskette, ZIP-disk or CD (either MS-DOS or Macintosh).

A detailed guide on electronic artwork is available on our website: <http://authors.elsevier.com/artwork>

You are urged to visit this site; some excerpts from the detailed information are given here.

Formats

Regardless of the application used, when your electronic artwork is finalised, please ‘save as’ or convert the images to one of the following formats (Note the resolution requirements for line drawings, halftones, and line/halftone combinations given below.):

EPS: Vector drawings. Embed the font or save the text as ‘graphics’.

TIFF: Colour or greyscale photographs (halftones): always use a minimum of 300 dpi. For colour images always use CMYK.

TIFF: Bitmapped line drawings: use a minimum of 1000 dpi.
 TIFF: Combinations bitmapped line/half-tone (colour or greyscale): a minimum of 500 dpi is required.

DOC, XLS or PPT: If your electronic artwork is created in any of these Microsoft Office applications please supply 'as is'.

Please do not:

- Supply embedded graphics in your word processor (spreadsheet, presentation) document;
- Supply files that are optimized for screen use (like GIF, BMP, PICT, WPG): the resolution is too low;
- Supply files that are too low in resolution;
- Submit graphics that are disproportionately large for the content.

4.2.2 Non-electronic illustrations

Provide all illustrations as high-quality printouts, suitable for reproduction (which may include reduction) without retouching. Number illustrations consecutively in the order in which they are referred to in the text. They should accompany the manuscript, but should not be included within the text. Clearly mark all illustrations on the back (or – in case of line drawings – on the lower front side) with the figure number and the author's name and, in cases of ambiguity, the correct orientation.

Mark the appropriate position of a figure in the article.

Captions

Ensure that each illustration has a caption. Supply captions on a separate sheet, not attached to the figure. A caption should comprise a brief title (not on the figure itself) and a description of the illustration. Keep text in the illustrations themselves to a minimum but explain all symbols and abbreviations used.

Line drawings

Supply high-quality printouts produced with black ink on white paper. The lettering and symbols, as well as other details, should have proportionate dimensions, so as not to become illegible or unclear after possible reduction; in general, the figures should be designed for a reduction factor of two to three. The degree of reduction will be determined by the Publisher. Illustrations will not be enlarged. Consider the page format of the journal when designing the illustrations.

Photocopies are not suitable for reproduction. Do not use any type of shading on computer-generated illustrations.

Photographs (halftones)

Please supply original photographs for reproduction, printed on glossy paper, very sharp and with good contrast. Remove non-essential areas of a photograph. Do not mount photographs unless they form part of a composite figure. Where necessary, insert a scale bar in the illustration (not below it), as opposed to giving a magnification factor in the legend.

Colour illustrations

Submit colour illustrations as original photographs, high-quality computer prints or transparencies, close to the size expected in publication, or as 35 mm slides. Polaroid colour prints are *not* suitable. Further information concerning colour illustrations and costs is available from *Author Support*, which can be contacted via authorsupport@elsevier.com

5. Proofs

When your manuscript is received by the Publisher it is considered to be in its final form. Proofs are not to be regarded as 'drafts'.

Proofs in PDF

One set of page proofs in PDF format will be sent by e-mail to the corresponding author, to be checked for typesetting/editing. No changes in, or additions to, the accepted (and subsequently edited) manuscript will be allowed at this stage. Proofreading is solely your responsibility.

Return deadline

The Publisher reserves the right to proceed with publication if corrections are not communicated within 2 days, 48 hours, of receipt of the proofs. Should there be no corrections, please confirm that this is the case.

One set requirement

Elsevier will do everything possible to get your article corrected and published as quickly and accurately as possible. In order to do this we need your help. When you receive the (PDF) proof of your article for correction, it is important to ensure that all of your corrections are sent back to us in one communication. Subsequent corrections will not be possible, so please ensure your first sending is complete. Note that this requirement does not mean you have any less time to make your corrections, just that only one set of corrections will be accepted.

6. Offprints

Fifty offprints are provided free of charge to the corresponding author. Extra offprints can be ordered at prices shown on the offprint order form.

7. More information

Visit the Author Gateway from Elsevier Science (<http://authors.elsevier.com>) for the facility to track accepted articles and set up e-mail alerts to inform you of when an article's status has changed. The Author Gateway also provides detailed artwork guidelines, copyright information, frequently asked question and more.

Contact details for questions arising after acceptance of an article, especially those relating to proofs, are provided when an article is accepted for publication.



CLRC

CALL FOR PROPOSALS

Under the European Enhancing Access to Research Infrastructures Scheme, Free Radical Research Facility at CLRC Daresbury Laboratory, Warrington, UK provides a comprehensive facility, including pulse radiolysis, laser flash photolysis, gamma radiolysis, EPR and laser confocal microscopy together with dedicated scientific and technical support, for free radical research.

We are now calling for new research proposals from Groups conducting their research in Member States of the European Community and Associated States, who are eligible for financial support under this scheme

Application forms and guidance notes are available from our website-
www.frrf.dl.ac.uk

Contact: Dr.S.Navaratnam

CCLRC Daresbury Laboratory

Warrington WA4 4AD

United Kingdom

Tel: +44 (0)1925 603721

Fax: +44 (0)1925 603192

e-mail: s.navaratnam@dl.ac.uk

Web: www.frrf.dl.ac.uk



The FREE e-mail service which delivers Elsevier Science book and journal tables of contents directly to your PC

CONTENTS
direct

REGISTER TODAY

Sign-up is simple!

- 1** ALL YOU HAVE TO DO IS VISIT THE CONTENTSDIRECT WEBSITE
- 2** FOLLOW THE INSTRUCTIONS TO REGISTER YOUR BOOK AND JOURNAL INTERESTS ONLINE
- 3** THEN SIT BACK AND ENJOY ADVANCE E-MAIL NOTIFICATION OF THE VERY LATEST RESEARCH IN YOUR AREAS OF INTEREST

www.elsevier.com/locate/contentdirect

Guide for Authors

Submission of Papers

Authors can upload their article as a **LaTeX**, **Microsoft[®] (MS) Word[®]**, **WordPerfect[®]**, **PostScript** or **Adobe[®] Acrobat[®] PDF** document via the Author Gateway page of this journal (<http://authors.elsevier.com/journal/jphotochem>), where you will also find a detailed description on its use. Alternatively, send three copies of your manuscript to one of the Editors by mail.

All authors other than those in the USA, Canada or Asia should submit their material to:

Editor-in-Chief: Professor R.P. Wayne

Physical and Theoretical Chemistry Laboratory
South Parks Road
Oxford OX1 3QZ
UK
FAX: +44 (1865) 275410
E-MAIL: jphoto@physchem.ox.ac.uk

Authors in the USA and Canada may submit their manuscripts to the North American Editor:

Professor R. Schmehl

Department of Chemistry
Tulane University
New Orleans, LA 70118
USA
FAX: +1-504-865-5596
E-MAIL: russ@tulane.edu

Authors in Asia should submit their manuscripts to the Asian Editor:

Professor H. Masuhara

Faculty of Engineering
Department of Applied Physics
Osaka University
Yamadaoka 2-1
Suita, Osaka 565-0871
Japan
FAX: +81 6 6876 8580
E-MAIL: masuhara@ap.eng.osaka-u.ac.jp

The full postal address, fax and telephone numbers, and e-mail address of the corresponding author must be given on the first (title) page of the manuscript. Contributions are accepted on the understanding that authors have obtained the necessary authority for publication. Submission of an article is understood to imply that the article is original and unpublished and is not being considered for publication elsewhere. Upon acceptance of an article by the journal, the author(s) will be asked to transfer the copyright of the article to the publisher. This transfer will ensure the widest possible dissemination of information.

Language

Please write your text in good English.

Authors in Japan please note that information about how to have the English of your paper checked corrected and improved (*before submission*) is available from: Elsevier Science Japan, Editorial Service, 1-9-15 Higashi Azabu, Minato-ku, Tokyo 106-0044, Japan; Tel.: +81-3-5561-5032; Fax: +81-3-5561-5045; E-mail: info@elsevier.co.jp

Preparation of manuscripts and illustrations

Please consult the full Guide for Authors of the journal in an early issue of the year, or online at the journal's Author Gateway at <http://authors.elsevier.com/journal/jphotochem>

Offprints

Fifty offprints are provided free of charge to the corresponding author. Extra offprints can be ordered at prices shown on the offprint order form.

Further Information

The Author Gateway also provides detailed artwork guidelines, copyright information, frequently asked question and more. Contact details for questions arising after acceptance of an article, especially those relating to proofs, are provided when an article is accepted for publication.

Visit the Author Gateway (<http://authors.elsevier.com>) for the facility to track accepted articles and set up e-mail alerts to inform you of when an article status has changed.

Authors did you know...

■ Your article published with Elsevier Science is also included in ScienceDirect, the world's largest scientific network, reaching over 9 million scientists and researchers at www.sciencedirect.com.

■ If your institute or organisation currently subscribes to ScienceDirect, you now have access to the full text of those journals in your subscription package at your desktop.

■ ScienceDirect allows you to keep track of citations to your article via e-mail. You can set up a personal profile to ensure you are kept up-to-date with publications in your specialist areas of research.

■ The publication of your article is announced in advance to thousands of registrants to our FREE e-mail alerting service **ContentsDirect**. Find out more by accessing www.elsevier.com/locate/contentsdirect

■ Your article will be available in the ScienceDirect electronic archive and as such accessible to the millions of scientists visiting our database for an unlimited period of time.

ScienceDirect provides the articles **you** need for **your** research – www.sciencedirect.com



To find out more about publishing your article with Elsevier Science, access www.elsevier.com/homepage/authors

